

PUBLICATIONS

Fan, B., Potyondy, D. O., Wu, H., Li, J., & Wang, T. (in press). Bedded rock stress corrosion model.

He, C., Mishra, B., & Potyondy, D. O. (2026). Impact of mineralogical features on the mechanical behaviors of granite: A study using physically informed 3D microstructural model. *International Journal of Rock Mechanics and Mining Sciences*, 197, 106355. <https://doi.org/10.1016/j.ijrmms.2025.106355>

Potyondy, D. O., Fu, W., Purvance, M., & Mas Ivars, D. (2025). A 3D subspring network breakable Voronoi model for rock. *Rock Mechanics and Rock Engineering*. <https://doi.org/10.1007/s00603-025-04655-w>

Wang, S., Potyondy, D. O., Chu, W., Zhang, L., Zhao, X., & Wang, T. (2025). Investigation of meso-mechanical properties of Jinping dolomitic marble based on flat-joint model. *J. Rock Mech. Geotech. Eng.* 17(6), 3464–3478. <https://doi.org/10.1016/j.jrmge.2024.05.020>

Reed, M., Potyondy, D., & Montoya, B. (2025). Exploring the relationship between MICP and soil microstructural features — a 2D DEM study. In *Proceedings, ASCE Geotechnical Frontiers 2025 Conference (Louisville, Kentucky, March 2025)*, ASCE Geotechnical Special Publication.

Alasadi, A., Ghassemi, A., Potyondy, D., & Roshankhah, S. (2025). DEM-based analysis to reveal the effects of particle size distribution on deformational behavior of particulate packs. In *Proceedings, 50th Workshop on Geothermal Reservoir Engineering (Stanford University, Stanford, California, February 2025)*, Paper SGP-TR-229.

Potyondy, D. O., & Fu, W. (2024). A 3D Subspring Network Breakable Voronoi Model for Rock: Laboratory-Scale Behavior. In *Proceedings, 58th U.S. Rock Mechanics/Geomechanics Symposium (ARMA, Golden, Colorado, USA, June 2024)*, ARMA 24-493. Alexandria, Virginia: ARMA.

Potyondy, D., & Purvance, M. (2024). A 3D Subspring Network Breakable Voronoi model for rock: Grain-breakage scheme. In *Proceedings, 6th International ITASCA Symposium on Applied Numerical Modeling in Geomechanics (Toronto, June 2024)*, Paper 04-01.

Hu, W. R., Liu, K., Potyondy, D. O., Salmi, E. F., Sellers, E. J., & Zhang, Q. B. (2023). Grain-based modelling of dynamic shear rupture of heterogeneous rock using a coupled continuum-discrete model. *International Journal of Impact Engineering*, 172, 104420. <https://doi.org/10.1016/j.ijimpeng.2022.104420>

Hazzard, J.F., Potyondy, D. O., & Purvance, M. (2022). Recent advances in discrete element modeling. In *RockEng22 (Proceedings, 22nd Canadian Rock Mechanics Symposium, August 2022)*.

Hu, W. R., Liu, K., Potyondy, D. O., & Zhang, Q. B. (2020). 3D continuum-discrete coupled modelling of triaxial Hopkinson bar tests on rock under multiaxial static-dynamic loads. *Int. J. Rock Mech. & Min. Sci.*, 134, 104448. <https://doi.org/10.1016/j.ijrmms.2020.104448>

Lorig, L., Potyondy, D., & Varun. (2020). Quantifying excavation-induced rock mass damage in large open pits. In *Proceedings, 2020 International Symposium on Slope Stability in Open Pit Mining and Civil Engineering (Virtual Conference, May 2020)*, pp. 969–982. Perth: Australian Centre for Geomechanics.

- Dahal, B., Mishra, D., & Potyondy, D. (2020). Application of PFC3D to study railroad ballast breakage response under train loading. In *Applied Numerical Modeling in Geomechanics 2020 (Proceedings, 5th International Itasca Symposium, February 2020)*, Paper 03-04. Minneapolis, Minnesota: Itasca.
- Hu, W., Potyondy, D., & Zhang, Q. (2020). FLAC3D-PFC3D coupled simulation of triaxial Hopkinson bar. In *Applied Numerical Modeling in Geomechanics 2020 (Proceedings, 5th International Itasca Symposium, February 2020)*, Paper 05-01. Minneapolis, Minnesota: Itasca.
- Potyondy, D. O., & Mas Ivars, D. (2020). Simulating spalling with a flat-jointed material. In *Applied Numerical Modeling in Geomechanics 2020 (Proceedings, 5th International Itasca Symposium, February 2020)*, Paper 03-01. Minneapolis, Minnesota: Itasca.
- Potyondy, D., Lorig, L., & Purvance, M. (2019). The effect of rock mass damage on strength degradation in large open pits. In *Proceedings, ISRM 14th International Congress of Rock Mechanics (Iguassu Falls, Brazil, September 2019)*, pp. 2450–2460. ISRM.
- Potyondy, D. O. (2018). A flat-jointed bonded-particle model for rock. In *Proceedings, 52nd U.S. Rock Mechanics/Geomechanics Symposium (ARMA, Seattle, Washington, June 2018)*, ARMA 18-1208. Alexandria, Virginia: ARMA.
- Mahmud, S. M. N., Mishra, D., & Potyondy, D. O. (2018). Effect of geogrid inclusion on ballast resilient modulus: The concept of 'geogrid gain factor'. In *Proceedings, 2018 Joint Rail Conference (Pittsburgh, PA, April 2018)*, JRC2018-6126. ASME.
- Potyondy, D. O. (2017). Simulating perforation damage with a flat-jointed bonded-particle material. In *Proceedings, 51st U.S. Rock Mechanics/Geomechanics Symposium (San Francisco, California, June 2017)*, ARMA 17-223. Alexandria, Virginia: ARMA.
- Siekmeier, J., Bittmann, J., Potyondy, D., & Petersen, L. (2016). Introducing a geogrid gain factor for flexible pavement design. In *Proceedings, University of Minnesota 64th Annual Geotechnical Engineering Conference (Minneapolis, March 2016)*, J. F. Labuz and A. B. Carney, Eds. Minneapolis: University of Minnesota.
- Potyondy, D., Siekmeier, J., & Petersen, L. (2016). Aggregate-geogrid interaction model incorporating moisture effects. In *Proceedings, Transportation Research Board 2016 Annual Meeting (Washington, D.C., January 2016)*, 16–6085. Washington, D.C.: National Academy of Sciences.
- Potyondy, D. (2015). The bonded-particle model as a tool for rock mechanics research and application: Current trends and future directions. *Geosystem Engineering*, 18(1), 1–28.
<https://doi.org/10.1080/12269328.2014.998346>
- Ostanin, I., Ballarini, R., Potyondy, D., & Dumitrica, T. (2013). A distinct element method for large scale simulations of carbon nanotube assemblies. *Journal of the Mechanics and Physics of Solids*, 61(3), 762–782.
<https://doi.org/10.1016/j.jmps.2012.10.016>
- Bahrani, N., Potyondy, D., & Pierce, M. (2012). Simulation of Brazilian test using PFC2D grain-based model. In *21st Canadian Rock Mechanics Symposium: RockEng12 — Rock Engineering for Natural Resources*

(*Proceedings, CARMA, Edmonton, Canada, May 2012*), pp. 485–493, C. Hawkes, Ed. Westmount, Quebec: CARMA, CIMICM.

Katsaga, T., & Potyondy, D. O. (2012). A generic stope model for investigation of fracturing mechanisms in deep gold mines. In *Proceedings, 46th US Rock Mechanics / Geomechanics Symposium (Chicago, Illinois, June 2012)*, ARMA 12-541. Alexandria, Virginia: ARMA.

Potyondy, D. O. (2012). A flat-jointed bonded-particle material for hard rock. In *Proceedings, 46th US Rock Mechanics / Geomechanics Symposium (Chicago, Illinois, June 2012)*, ARMA 12-501. Alexandria, Virginia: ARMA.

Potyondy, D. O. (2012). The bonded-particle model as a tool for rock mechanics research and application: Current trends and future directions. In *The Present and Future of Rock Engineering (Proceedings, ARMS7 — The 7th Asian Rock Mechanics Symposium / 2012 ISRM Regional Symposium, Seoul, Korea, October 2012)*, pp. 73–105. Seoul: The Korean Science and Technology Center.

Mas Ivars, D., Pierce, M. E., Darcel, C., Reyes-Montes, J., Potyondy, D. O., Young, R. P., & Cundall, P. A. (2011). The synthetic rock mass approach for jointed rock mass modelling. *Int. J. Rock Mech. Min. Sci.*, 48(2), 219–244. <https://doi.org/10.1016/j.ijrmms.2010.11.014>

Potyondy, D. O. (2011). Parallel-bond refinements to match macroproperties of hard rock. In *Continuum and Distinct Element Modeling in Geomechanics — 2011 (Proceedings, 2nd International FLAC / DEM Symposium (Melbourne, February 2011))*, Paper No. 08-04, pp. 459–465. D. Sainsbury et al., Eds. Minneapolis: Itasca.

Purvanca, M. D., Russell, D., Potyondy, D., & Emam, S. (2011). Spatial searching and contact detection in PFC 5.0. In *Continuum and Distinct Element Modeling in Geomechanics — 2011 (Proceedings, 2nd International FLAC / DEM Symposium, Melbourne, February 2011)*, Paper No. 14-01, pp. 783–790. D. Sainsbury et al., Eds. Minneapolis: Itasca.

Anderson, T., Akatyeva, E., Nikiforov, I., Potyondy, D., Ballarini, R., & Dumitrică, T. (2010). Toward distinct element method simulations of carbon nanotube systems. *J. Nanotechnol. Eng. Med.*, 1(4), 041009. <https://doi.org/10.1115/1.4002609>

Potyondy, D. (2010). A grain-based model for rock: Approaching the true microstructure. In *Proceedings, Bergmekanikk i Norden 2010 — Rock Mechanics in the Nordic Countries 2010 (Kongsberg, Norway, June 2010)*, pp. 225–234. C. C. Li, G. Gröneng, R. Olsson, & S. Engen, Eds. ISBN: 978–82–8208–017–0. Oslo: Norwegian Group for Rock Mechanics.

Mas Ivars, D., Potyondy, D. O., Pierce, M., & Cundall, P. A. (2008). The smooth-joint contact model (abstract). In *Proceedings, WCCM8 — ECCOMAS 2008 (8th World Congress on Computational Mechanics / 5th European Congress on Computational Methods in Applied Sciences & Engineering, Venice, June-July 2008)*, Paper No. a2735. B. A. Schrefler and U. Perego, Eds. Barcelona: International Center for Numerical Methods in Engineering (CIMME).

Potyondy, D., & Hazzard, J. (2008). Effects of stress and induced cracking on the static and dynamic moduli of rock. In *Continuum and Distinct Element Numerical Modeling in Geo-Engineering (Proceedings,*

1st International FLAC / DEM Symposium, Minneapolis, August 2008), Paper No. 04-03. R. Hart et al., Eds. Minneapolis: Itasca.

Mas Ivars, D., Pierce, M., Potyondy, D. O., & Cundall, P. A. (2007). A new modelling approach for the study of deformation, yield and failure of jointed rock masses. In *Bergmekanikdag 2007 (Swedish Rock Mechanics Day 2007)*, pp. 33–41. Stockholm: SveBeFo.

Pierce, M., Cundall, P., Potyondy, D., & Mas Ivars, D. (2007). A synthetic rock mass model for jointed rock. In *Rock Mechanics: Meeting Society's Challenges and Demands (1st Canada-U.S. Rock Mechanics Symposium, Vancouver, May 2007)*, Vol. 1: Fundamentals, New Technologies & New Ideas, pp. 341–349. E. Eberhardt et al., Eds. London: Taylor & Francis Group.

Potyondy, D. O. (2007). The effect of voids on the mechanical properties of rock. In *DEM 07 (Proceedings, Discrete Element Modelling Conference, Brisbane, August 2007)*. Minerals Engineering International.

Potyondy, D. O. (2007). Simulating stress corrosion with a bonded-particle model for rock. *Int. J. Rock Mech. Min. Sci.*, 44(5), 677–691. <https://doi.org/10.1016/j.ijrmms.2006.10.002>

Potyondy, D. (2005). Formulation of a bonded-particle model to simulate stress corrosion in rock. In *11th International Conference on Fracture (ICF11, Turin, Italy, March 2005)*, p. 252, Extended Abstract No. 3469.

Potyondy, D. O., & Cundall, P. A. (2004). A bonded-particle model for rock. *Int. J. Rock Mech. & Min. Sci.*, 41(8), 1329–1364. <https://doi.org/10.1016/j.ijrmms.2004.09.011>

Young, R. P., Collins, D. S., Hazzard, J., Heath, A., Pettitt, W. S., Baker, C., Billaux, D., Cundall, P., Potyondy, D., Dedecker, F., Svemar, C., & Lebon, P. (2004). An innovative 3D numerical modelling procedure for simulating repository-scale excavations in rock — SAFETI. Presented at the Euradwaste'04 Conference on Radioactive Waste Management Community Policy and Research Initiatives (Luxembourg, March 2004), Poster P37; In *Programme and Abstracts from the Sixth European Commission Conference on the Management and Disposal of Radioactive Waste (EURADWASTE '04, Luxembourg, March-April 2004)*.

Young, R. P., Collins, D. S., Hazzard, J., Heath, A., Baker, C., Pettitt, W. S., Billaux, D., Cundall, P., Potyondy, D., Dedecker, F., & Svemar, C. (2003). An innovative 3D numerical modelling procedure for simulating repository-scale excavations in rock — SAFETI. In *The Performance of Radioactive Waste Geological Repositories (Proceedings, CLUSTER Conference on Impact of the EDZ, Luxembourg, 2003)*.

Autio, J., Wanne, T., & Potyondy, D. (2002). Particle mechanical simulation of the effect of schistosity on strength and deformation of hard rock. In *NARMS-TAC 2002: Mining and Tunnelling Innovation and Opportunity*, Vol. 1, pp. 275–282. R. Hammah et al., Eds. Toronto: University of Toronto Press.

Chandler, N., Read, R., Potyondy, D., Young, R. P., & Hazzard, J. (2002). Computing brittle rock fracture and excavation stability using the Particle Flow Code. In *Proceedings, 2nd Canadian Specialty Conference on Computer Applications in Geotechnique (Winnipeg, April 2002)*, pp. 104–111. Alliston, Ontario, Canada: Canadian Geotechnical Society.

Pierce, M. E., Potyondy, D., Andrieux, P., & Lessard, J.-S. (2002). Use of the Particle Flow Code (PFC2D) to assess stability of undercut rockfill at Brunswick mine. In *NARMS-TAC 2002: Mining and Tunnelling*

Innovation and Opportunity, Vol. 1, pp. 173–180. R. Hammah et al., Eds. Toronto: University of Toronto Press.

Potyondy, D. (2002). A bonded-disk model for rock: Relating microproperties and macroproperties. In *Discrete Element Methods: Numerical Modeling of Discontinua (Proceedings, Third International Conference, Santa Fe, September 2002)*, pp. 340–345. B. K. Cook and R. P. Jensen, Eds. Reston, Virginia: ASCE.

Potyondy, D., & Autio, J. (2001). Bonded-particle simulations of the in-situ failure test at Olkiluoto. In *Rock Mechanics in the National Interest (Proceedings, 38th U.S. Rock Mechanics Symposium, Washington, D.C., July 2001)*, Vol. 2, pp. 1553–1560. Lisse: Balkema.

Chandler, N., Read, R., Cundall, P., Potyondy, D., Detournay, E., Young, R. P., & Lau, J.S.O. (2000). An integrated approach to excavation design — A project within Canada's used fuel disposal program. In *Pacific Rocks 2000: Rock Around the Rim (Proceedings, 4th North American Rock Mechanics Symposium, Seattle, July-August 2000)*, pp. 1271–1278. J. Girard et al., Eds. Rotterdam: Balkema.

Potyondy, D. O., & Fairhurst, C. E. (1999). The value of numerical modeling in understanding the complete load / deformation behavior of cohesive-frictional materials. In *Nondestructive and Automated Testing for Soil and Rock Properties, ASTM STP 1350*, pp. 290–299. W. A. Marr and C. E. Fairhurst, Eds. West Conshohocken, Pennsylvania: ASTM.

Potyondy, D. O., & Cundall, P. A. (1998). Modeling notch-formation mechanisms in the URL mine-by test tunnel using bonded assemblies of circular particles. *Int. J. Rock Mech. & Min. Sci.*, 35(4-5); Special Issue (*Proceedings, NARMS '98, 3rd North American Rock Mechanics Symposium, Cancun, Mexico, June/July 1998*), Paper No. 067.

Cundall, P. A., Konietzky, H., & Potyondy, D. O. (1996). PFC — Ein neues werkzeug für numerische modellierungen. *Bautechnik*, 73(8), 492–498.

Cundall, P. A., Potyondy, D. O., & Lee, C. A. (1996). Micromechanics-based models for fracture and breakout around the mine-by tunnel. In *Designing the Excavation Disturbed Zone for a Nuclear Repository in Hard Rock (Proceedings, Excavation Disturbed Zone Workshop, 1996 Canadian Nuclear Society International Conference on Deep Geological Disposal of Radioactive Waste, Winnipeg, Manitoba, September 1996)*, pp. 113–122. J. B. Martino and C. D. Martin, Eds. Toronto: Canadian Nuclear Society.

Cundall, P. A., Lorig, L. J., & Potyondy, D. O. (1996). Distinct-element models of explosion-induced failure of rock, including fragmentation and gas interaction. In *Explosion Effects in Granular Materials*, pp. 369–394. J. Jenssen et al., Eds. Oslo: Norwegian Defense Construction Service.

Potyondy, D. O., Cundall, P. A., & Sarracino, R. S. (1996). Modeling of shock-and gas-driven fractures induced by a blast using bonded assemblies of spherical particles. In *Rock Fragmentation by Blasting (Proceedings, Fifth International Symposium on Rock Fragmentation by Blasting, B FRAGBLAST 5, Montréal, Québec, August 1996)*, pp. 55–62. B. Mohanty, Ed. Rotterdam: Balkema.

Potyondy, D. O., Cundall, P. A., & Lee, C. (1996). Modeling rock using bonded assemblies of circular particles. In *Rock Mechanics Tools and Techniques (Proceedings, Second North American Rock Mechanics Symposium, Montréal, June 1996)*, pp.1937–1944. M. Aubertin, et al., Eds. Rotterdam: Balkema.

Lorig, L., Board, M. P., Potyondy, D. O., & Coetzee, M. J. (1995). Numerical modeling of caving using micro-mechanical models. In *CAMI '95 (Proceedings, Third Canadian Conference on Computer Applications in the Mineral Industry, October 1995)*, pp. 416–425. H. S. Mitri, Ed. Montréal: McGill University Press.

Potyondy, D. O., Wawrzynek, P. A., & Ingraffea, A. R. (1995). An algorithm to generate quadrilateral or triangular element surface meshes in arbitrary domains with applications to crack propagation. *Int. J. Num. Methods Eng.*, 38(16), 2677–2701. <https://doi.org/10.1002/nme.1620381603>

Viz, M. J., Potyondy, D. O., Zehnder, A. T., Rankin, C. C., & Riks, E. (1995). Computation of membrane and bending stress intensity factors for thin, cracked plates. *International Journal of Fracture*, 72, 21–38. <https://doi.org/10.1007/BF00036927>

Gray, L. J., Potyondy, D. O., Lutz, E. D., Wawrzynek, P. A., Martha, L. F., & Ingraffea, A. R. (1994). Crack propagation modeling. *Mathematical Models & Methods in Applied Sciences*, 4(2), 179–202. <https://doi.org/10.1142/S021820259400011X>

Potyondy, D. O., Wawrzynek, P. A., & Ingraffea, A. R. (1995). Discrete crack growth analysis methodology for through cracks in pressurized fuselage structures. *International Journal for Numerical Methods in Engineering*, 38(10), 1611–1633. <https://doi.org/10.1002/nme.1620381003>. Also in shortened form in *Proceedings, FAA / NASA Advanced Structural Integrity Methods for Airframe Durability and Damage Tolerance (Hampton, Virginia, May 1994)*, NASA Conference Publication 3274, Part 2, pp. 581–602. Hampton, Virginia: NASA Langley Research Center.

Shenoy, V. B., Potyondy, D. O., & Atluri, S. N. (1994). A methodology for computing nonlinear fracture parameters for a bulging crack in a pressurized aircraft fuselage. *Computational Mechanics*, 14, 529–548. <https://doi.org/10.1007/BF00350836>

Wawrzynek, P. A., Carter, B. J., Ingraffea, A. R., & Potyondy, D. O. (1994). A topological approach to modeling arbitrary crack propagation in 3D. In *DIANA Computational Mechanics '94*, pp. 69–84. The Netherlands: G.M.A. Kusters and M.A.N. Hendriks, Eds. Kluwer Academic.

Potyondy, D. O. (1993). *A software framework for simulating curvilinear crack growth in pressurized thin shells*. [Doctoral dissertation, Cornell University].

Potyondy, D. O., & Ingraffea, A. R. (1992). A methodology for simulation of curvilinear crack growth in pressurized fuselages. In *Durability of Metal Aircraft Structures (Proceedings, International Workshop on Structural Integrity of Aging Airplanes)*, pp. 217–230. S. N. Atluri et al., Eds. Atlanta: Atlanta Technology Publications.

Potyondy, D. O., Gray, L. J., & Ingraffea, A. R. (1992). Simulation of 3D non-planar fatigue crack growth in a turbine blade root. In *Computer Technology: Advances and Applications (Proceedings, ASME Pressure Vessels and Piping Conference)*, pp. 31–42. R. S. Gallagher and G. M. Hulbert, Eds. New York: ASME.

Andrews, J. R., Stinehour, J. E., Lean, M. H., Potyondy, D. O., Wawrzynek, P. A., Ingraffea, A. R., & Rainsdon, M. D. (1991). Holographic display of computer simulations. In *Practical Holography V*, SPIE Vol. 1461, pp. 110–123. S. A. Benton, Ed. Bellingham, Washington: SPIE-ISOE.

Potyondy, D. O. (1990). Toward the simulation of three dimensional reinforced concrete subassemblages. [Master's thesis, Cornell University].

Potyondy, D. O., Abel, J. F., & Ingraffea, A. R. (1990). An interactive environment for the simulation of 3D reinforced concrete subassemblages. In *Computer Aided Analysis and Design of Concrete Structures*, Vol. 1, pp. 503–514. N. Bicanic and H. Mang, Eds. Swansea, U.K.: Pineridge Press.

Potyondy, D. O. (1984). Solving real engineering problems. *CURA Reporter* (Center for Urban and Regional Affairs, University of Minnesota), *XIV*(1), 9–11 (January 1984).